ee Connect

Tactile interactions of life and space





The beauty of feeling at home

66

Connect to the world, to others, to yourself to discover the beauty of every moment

Connect reflects the contemporary nature of the present, where everything interacts, is mixed, multiracial. Combining different stones, a unique and original surface is created, where diversity becomes the new beauty, to be discovered through a slightly "lived-in" texture in which delicate colors, a variety of designs and natural veining intermingle. A perfect mix that generates an extraordinary new look, suitable for any type of indoor environment.



Discover new sensations of space and time


The Connect collec with each your home with producing a rippled veining and on consists of a number of sizes that can be combined ther and a choice of decors that allow you to enhance sonality. A surface, with a natural finish, richly shaded, ok, generated by the interaction of different materials, ects of wear. Beauty which is both strong and natural, for design solutions with contemporary charm.

SIZES

SURFACE Natural ??

Gently welcoming your own presence

The naturalness of the Connect stone effect surfaces cross dynamic, multifunctional spaces with coordinated solutions for floor and wall tiles, inviting gestures, emotions and sensations that belong to continuously evolving lifestyles.









"

Flowing space, open to change









77

27

"

Living in contact with oneself and others, to find oneself again

Communicating, building relationships, creating bonds are essential to understanding who we are. This awareness allows us to change points of view and to enrich ourselves day after day in the discovery of new, practical and functional ideas, even for the surroundings that symbolise us.


Akashi Natural 12"x24"- 30x60,4 cm Forth Natural 6"x24" Rect - 15x60 cm

-



"

Vibrant surfaces for inviting, open spaces




Akashi Natural 12"x24"- 30x60,4 cm Forth Natural 6"x24" Rect - 15x60 cm



66


Wellness, harmony and naturalness

Learn to open up to the world with serenity, accepting its many facets experiencing the charm that comes from diversity A new vision is turning into a desire for change, a search for intense rich beauty to be brought to the most intimate settings



"

,





A State of the sta



Natural, warm and cold colors, mixed together and enriched with the mosaics in the shower area, create a comfortable, open bathroom space, where there are few furnishings, leaving freedom of expression to the intense materiality of the surfaces.



"







??

?? spaces

New connections for metropolitan

The contemporary, multifaceted style of the collection brings originality to modern, functional meeting spaces where you can stay alone or in company: places where you can share everything you love, feeling the energy that flows and feeds into relationships, even the most unexpected, surrounded by sincere and true sensations.





??



Forth Natural 24"x24"- 60,4x60,4 cm Muretto Forth Natural 12"x28"- 30x71 cm 66

Searching for the essence of things so that we can change and evolve

Knowledge becomes essential for change, to evolve and improve the conceptual design in every area. Connect redefines the concept of stone and transforms it into a creative surface that accompanies our moments, always varied and evolving.













The exclusive Panariagroup technology for antimicrobial floor and wall coverings with the highest performance. To live healthily, safe and secure.





POWERFUL ACTION eliminates microbes and prevents their reproduction



CONTINUOUS PROTECTION

always active, 24 hours a day, with and without sunlight



ETERNAL EFFECTIVENESS

thanks to the technology permanently integrated into the product



GUARANTEED QUALITY by the partnership with MICROBAN

protect.panariagroup.it



Connect

COLOURED-BODY GLAZED STONEWARE

SURFACE: NATURAL

PR()TECT

ANTIMICROBIAL SURFACE

Connect

AKASHI

COLOURED-BODY GLAZED STONEWARE

SURFACE: NATURAL 🟦 冾 📠

SOSPIRI





24"x24"- 60,4x60,4 cm NATURAL



12"x24"- 30x60,4 cm NATURAL



6"x24" Rect - 15x60 cm NATURAL

HARBOUR





24"x24"- 60,4x60,4 cm NATURAL



12"x24"- 30x60,4 cm NATURAL

± 10 mm	
T 10 mm	

6"x24" Rect - 15x60 cm NATURAL





24"x24"- 60,4x60,4 cm NATURAL



12"x24"- 30x60,4 cm NATURAL

≭ 10 mm	

6"x24" Rect - 15x60 cm NATURAL






BROOKLYN





24"x24"- 60,4x60,4 cm NATURAL



12"x24"- 30x60,4 cm NATURAL

🛨 10 mm

6"x24" Rect - 15x60 cm NATURAL

Connect

COLOURED-BODY GLAZED STONEWARE

SURFACE: NATURAL 🟦 🛆 📠

FORTH





24"x24"- 60,4x60,4 cm NATURAL



12"x24"- 30x60,4 cm NATURAL



6"x24" Rect - 15x60 cm NATURAL

PR()TECT

ANTIMICROBIAL SURFACE with MICROBAN

Connect

COLOURED-BODY GLAZED STONEWARE

DECOS



MURETTO SOSPIRI Meshed Mounted 12"x28" - 30x71 cm NATURAL **∓**9 mm



MURETTO BROOKLYN Meshed Mounted 12"x28" - 30x71 cm NATURAL **∓**9 mm





MOSAIC SOSPIRI 36 pcs 12"x12" - 30x30 cm NATURAL 🛨 9 mm


MOSAIC HARBOUR 36 pcs 12"x12" - 30x30 cm NATURAL 🕇 9 mm



12"x12" - 30x30 cm NATURAL 🛨 9 mm

MOSAIC BROOKLYN 36 pcs MOSAIC FORTH 36 pcs 12"x12" - 30x30 cm NATURAL **∓**9 mm

TRIM PIECES



BULLNOSE 3^{3/4}"x23^{1/2}" - 9,5x59,5 cm NATURAL 🛨 10 mm All colors available







MURETTO HARBOUR Meshed Mounted 12"x28" - 30x71 cm NATURAL **∓**9 mm



MURETTO AKASHI Meshed Mounted 12"x28" - 30x71 cm NATURAL **∓**9 mm



MURETTO FORTH Meshed Mounted 12"x28" - 30x71 cm NATURAL **¥**9 mm







Connect

Connect

TECHNICAL FEATURES

Coloured-body glazed stoneware _ According to ANSI A137.1 (Glazed Porcelain Tiles - P1 Class)

	TECHNICAL FEATURES	TEST METHOD	REQUIRED VALUES - ANSI A137.1	CONNECT AVERAGE VALUES
	WATER ABSORPTION	ASTM C373	≤ 0.5%	CONFORMS
$\frac{1}{1-1}$	BREAKING STRENGTH	ASTM C648	≥ 250 lbf	350 lbf 9 mm 425 lbf 10 mm
PEI	SURFACE ABRASION RESISTANCE	ASTM C1027	AS INDICATED BY MANUFACTURER	PEI 5 SOSPIRI PEI 4 HARBOUR - BROOKLYN - AKASHI PEI 3 FORTH
	LINEAR THERMAL EXPANSION	ASTM C372	NO PROVISION	α ≤ 8 x 10 ⁻⁶ °C ⁻¹ α ≤ 4.4 x 10 ⁻⁶ °F ⁻¹
*	STAIN RESISTANCE	ASTM C1378	AS INDICATED BY MANUFACTURER	A RESISTANT
	CHEMICAL RESISTANCE	ASTM C650	AS INDICATED BY MANUFACTURER	A RESISTANT (*)
鱳	FROST RESISTANCE	ASTM C1026	AS INDICATED BY MANUFACTURER	RESISTANT
	BOND STRENGHT	ASTM C482	≥ 50 PSI	CONFORMS
	SLIP RESISTANCE	ANSI A326.3	DCOF ≥ 0.42	≥ 0.42
	SHADE VARIATION	ANSI A137.1	AS INDICATED BY MANUFACTURER	V3 Moderate variation
	FLAME SPREAD	ASTM E84	-	Class A
	THERMAL CONDUCTIVITY	EN 12524	-	λ = 1,3 W/m °K / 0.7 BTU/ft h °F
	RECOMMENDED	NOT RECT	_	3-4 mm APPROX (Indoor)
1	MINIMUM JOINT	RECT		2 mm
	THICKNESS	24"X24" - 60,4X60,4 cm 6"X24" Rect - 15X60 cm	-	10 mm
	<u>'</u>	12 " X24 " - 30X60,4 cm		9 mm

(*) Excluding hydrofluoric acid and its derivatives

PACKINGS AND WEIGHTS

SIZES	SF / CTN	LINEAR FT / CTN	I PIECES / CTN	CTN / PALLET	SF / PALLET	LBS / CTN	LBS / PALLET
24"x24"	15.82	-	4	32	506.32	71.65	2,292.80
12"x24"	15.82	-	8	32	506.32	66.58	2,130.51
6"x24" RECT	11.62	-	12	48	557.76	53.79	2,581.92
MOSAIC 36 pcs 12"x12"	4.84	-	5	90	435.60	20.00	1,800.00
MURETTO 12"x28"	7.75	-	4	30	232.50	31.97	959.10
BULLNOSE 3 ^{3/4} "x23 ^{1/2} "	9.73	31.22	16	60	583.80	43.60	2,616.00

INTENDED USE

KEY

RESIDENTIAL

Kitchens, bathrooms, living rooms and other residential environments. Offices, offices open to the general public, waiting rooms, shops, public bathrooms, common apartment block areas, restaurant dining rooms, car showrooms, bars, cinemas, surgeries/clinics, hotel rooms and bathrooms.

CERTIFICATIONS



0% EČO COMPATIBILE CERAMICA PANARIA



Product designed in Italy

PANARIA AND THE ENVIRONMENT



100% REUSE OF UNFIRED TILES Crude waste generated by the process is reintegrated in the production cycle with no costs for the environment. This contributes to the safeguard of natural resources.



100% REUSE/RECYCLING OF THE INDUSTRIAL WASTE - FIRED TILES The waste-fired tiles are fully reused in the production cycle.

In addition, at the end of life, the Panaria tiles can be recycled as materials for substrates for roads and buildings, thus reducing the use of gravel and natural aggregates commonly used in building.



WATER RECYCLING The water used in the production process is recycled.



PANARIA PACKING MATERIAL IS 100% RECYCLABLE Carton boxes, plastic packaging materials, wooden pallets, straps, etc.



100% OF NON CERAMIC WASTE Is differentiated and recycled in other production cycles. PR()TECT ANTIMICROBIAL SURFACE with MICROBAN

LIGHT COMMERCIAL

Common areas of shopping centres, hotel foyers, canteens, fast food restaurants, dance clubs, hospitals, schools, museums, places of worship, airports, stations.



Mainly for external areas that require flooring with anti-slip characteristics.







PANARIA CERAMICA is a member of the U.S. Green Building Council: this is an organisation that promotes buildings that are environmentally responsible, profitable and healthy places to live and work





GREENGUARD CERTIFICATION Panaria CONNECT eries is made in a production plan "GOLD" certified hy GREENGUARD.



Panaria products have a type III specific Environmental Product Declaration (EPD). This is certified by an independent third party according to ISO EN 14025 and EN 15804 standards. Available on request.

The water demand is strongly reduced by this mean.



LOW EMISSIONS IN THE ATMOSPHERE

Panaria production plant strictly complies to US Standards with a very small amount of gas emissions in the atmosphere.



SAFETY REQUIREMENTS: NO FIRE REACTION

All of Panaria's ceramic tile products are Class A building materials as described in ASTM E84 - Standard Test Method for Surface Burning Characteristics of Building Materials. This is due to the flame spread rating of (O) and smoke developed rating of (O) falling within the ranges of a Class A material. Other building codes refer to this as a Type I material in accordance with NFPA 255.



SAFETY REQUIREMENTS: DCOF ≥ 0.42

Panaria CONNECT series has got a Dynamic Coefficient Of Friction \geq 0.42, as requested by ANSI A326.3 "For level interior spaces expected to be walked upon when wet"



METHANE CONSUMPTION IS HIGHLY REDUCED By the use of up to date technologies and customized installations.





Group Marketing & Communications - Panariagroup April 2019





Via Panaria Bassa, 22/a 41034 Finale Emilia (Modena) - Italy Tel. +39 0535 95111 - Fax +39 0535 90503 info@panaria.it - www.panaria.it

PANARIAGROUP INDUSTRIE CERAMICHE S.p.A. www.panariagroup.it