



ONIX[®]













Penny
Catalogue
2020

NEW PENNY MOSAIC



ONIX®

Product

-  Minimum Order | 1 Module
-  Minimum Order | 1 Box
-  Sales Unit | Square Meters
-  Mosaic Support | Dots
-  Mosaic Support | Mesh
-  New Article
-  Gold 24k
-  Metals
-  Stoneglass Mohs 9
-  Matte Finish
-  Antislip Article
-  Luminescent

Information

014 Technical Information

- 014 Technical Characteristics
- 015 Suitability Guide
- 015 Packing List
- 016 Types of Support

018 Onix Mosaic

Collections


004 Penny

- 004 Penny Blends
- 006 Penny Ecstones
- 006 Penny Stoneglass
- 008 Penny Matt
- 010 Penny Shiny
- 012 Penny Opalo



- ø 19 mm - 0,74"
- P9
-
-
- m'
-


PENNY BLENDS




2005021 Penny Natureglass Opalo Black 424




2005022 Penny Natureglass Opalo White 424




2005027 Penny Cinza 390




2005023 Penny Black Matt Shiny 390




2005026 Penny White Matt Shiny 390




2005028 Penny Haiku 390



2005024 Penny Smooth Grey Matt Shiny 390



2005025 Penny Taupe Matt Shiny 390



2005029 Penny Almond 390



Penny Black Matt Shiny




Penny Calacatta Gold Matte



PENNY ECOSTONES



2005018 Penny Grafito Matte 427




2005019 Penny Fosco Matte 427



2005020 Penny Calacatta Gold Matte 427

PENNY STONEGLASS




2005017 Penny Stoneglass Gold 440




Penny Jade Matt

PENNY MATT


ø 19 mm - 0,74"
 P9




2005000 Penny Black Matt 371




2005001 Penny Dark Grey Matt 371




2005002 Penny Smooth Grey Matt 371




2005003 Penny Moka Matt 371




2005004 Penny Taupe Matt 371



2005005 Penny Bone Matt 371



2005006 Penny Jade Matt 371



2005007 Penny Pale Blue Matt 371



2005008 Penny White Matt 371




Penny Dark Grey Shiny


- ø 19 mm - 0,74"
- P9
-
-
- m*²
-

PENNY SHINY


-
- m*²
-
-
- P9
- ø 19 mm - 0,74"




2005009 Penny Black Shiny 371




2005010 Penny Dark Grey Shiny 371



2005011 Penny Smooth Grey Shiny 371



2005012 Penny Moka Shiny 371



2005013 Penny Taupe Shiny 371




2005014 Penny White Shiny 371



- ø 19 mm - 0,74"
- P9
-
-
- m'
-

PENNY OPALO



2005015 Penny Opalo Black

422



2005015 Penny Opalo White

422



TECHNICAL CHARACTERISTICS

Series	Test UNE-EN-ISO 10545-3 Water Absorption	Test UNE-EN-ISO-101-92=101 Surface hardness. Mohs	Test UNE-EN-ISO 10545-9 Resistance to thermal shocks	Test UNE-EN-ISO 10545-12 Frost Resistance	Test UNE-EN-ISO 10545-13:1998 Resistance to chemical attack		Test UNE-EN-ISO 10545-13:1998 Resistance to chemical attack	
					Domestic Products	Poll water additives	Low acid and alkalins	High acid and alkalins
Penny Blends	None	4	Resistant	Resistant	GA	GA	GLA	GHA
Penny Ecostones	None	4	Resistant	Resistant	GA	GA	GLA	GHA
Penny Matt	None	4	Resistant	Resistant	GA	GA	GLA	GHA
Penny Shiny	None	4	Resistant	Resistant	GA	GA	GLA	GHA
Penny Opalo	None	4	Resistant	Resistant	GA	GA	GLA	GHA
Penny Stoneglass	None	9	Resistant	Resistant	GA	GA	GLA	GHA

Series	Test UNE-EN-ISO 10545-14 Resistance to staining	Test UNE-EN-ISO 10545-11=1997 Cracking	DIN 51094 Colour Stability on exposure to light and UV rays	DCOF Wet Dynamic Coefficient of Friction ANSI A 137.1 Standard	DIN 51130:2004 SLIP Resistance wearing shoes	DIN 51097 SLIP Resistance in bare feet	Test UNE-ENV 12633:2003 (CTE) Anti skid coefficient, suitable for outdoor use and swimming pools.
Penny Blends	Class 5	Resistant	Resistant				
Penny Ecostones	Class 5	Resistant	Resistant	≥ 0,42	R11	Class C	Class 3
Penny Matt	Class 5	Resistant	Resistant				
Penny Shiny	Class 5	Resistant	Resistant				
Penny Opalo	Class 5	Resistant	Resistant				
Penny Stoneglass	Class 5	Resistant	Resistant	≥ 0,42	R9	Class A	Class 2

SUITABILITY GUIDE

Series	References	Wall	Floor	Wet areas	Pools	Materials
Penny Blends	All Products	Int / Ext	Residential	Yes	Yes	Glass
	Penny Natureglass Opalo Black & White	Int / Ext	No	Yes	Yes	Glass
Penny Ecostones	All Products	Int / Ext	Residential	Yes	Yes	Glass
Penny Matt	All Products	Int / Ext	Residential	Yes	Yes	Glass
Penny Shiny	All Products	Int / Ext	Residential	Yes	Yes	Glass
Penny Opalo	All Products	Int / Ext	No	Yes	Yes	Glass
Penny Stoneglass	All Products	Int / Ext	Residential / Commercial	Yes	Yes	Glass

PACKING LIST PENNY

P9

Sheet Hoja	5,5 mm - 0,21" Thickness	286x286 mm - 11,25"x11,25"	0,77 kg - 1,69 lb
Box Caja	12 Sheets	0,98 m ² - 10,54 sqft	9,39 kg - 20,7 lb
Pallet Palet	81 Boxes	79,38 m ² - 854,43 sqft	772,39 kg - 1702,82 lb
Euro Pallet Euro Palet	54 Boxes	52,82 m ² - 568,54 sqft	530,86 kg - 1170,34 lb



Dots

GREAT GRIP

The dot backing system allows up to 91% of surface free for the adhesive.

El soporte por puntos deja libre hasta el 91% de la superficie para adhesivo.

Le système de montage sur points laisse jusqu'à 91% de surface libre pour l'adhésion du ciment colle.

FAST INSTALLATION

The size of 12 x 18 tesserae and the ease of installation allows up to a 27% time saving during the installation.

El mayor tamaño de 12 x 18 teselas y la facilidad de colocación de las láminas permite un ahorro del 27% del tiempo durante la instalación.

La dimension des plaques 12 x 18 permet un gain de temps de 27% durant la pose.

HIGH RESISTANCE

The dot backing is damp proof, so it can be stored outside and it will remain unaltered.

Este sistema por puntos es insensible a la humedad. Es posible almacenarlo en el exterior permaneciendo inalterable.

Ce système ne craint pas l'humidité. Le matériel peut donc être stocké à l'extérieur sans que celui-ci ne subisse aucunes altérations.

MAXIMUM FLEXIBILITY

Full adaptability to any type of surface: corners, curved, irregular finishes...

Total adaptabilidad a cualquier tipo de superficie: esquinas, curvadas, acabados irregulares...

Adaptabilité totale à tout type de surface: angles, finitions courbes, irrégulières...

MINIMUM THICKNESS

An even thickness which conceals the surface of the grouting.

Un grosor homogéneo que se oculta por completo con el rejunte.


Une épaisseur homogène parfaitement cachée avec le rejoint du produit.

VISUAL CONTROL

Unlike paper support, when you visualize the mosaic in the installation it is possible to create drawings and shapes.

Al contrario del soporte papel, al visualizar el mosaico en la instalación es posible crear dibujos y formas.

Contrairement au support papier, lorsque vous visualisez la mosaïque dans l'installation, il est possible de créer des dessins et des formes.



Mesh

GREAT GRIP

Mesh mounting system leaves the 75% of the back free for the adhesive.

El sistema de soporte por malla deja libre el 75% de la superficie del mosaico para el adhesivo.

Le montage de la mosaïque sur filet laisse 75% de la surface libre pour le ciment colle.



PENTA GLASS MOSAIC:


This Artisan-edge glass mosaic is made with recycled glass pieces and may include irregular edges, rustic appearances, minimal imperfections or slight variations in sizing and squareness. These characteristics are inherent to this product due to the manufacturing process. The slight size or shape variations may affect the grout joint appearance, further enhancing the natural aspect of this product. Use constitutes acceptance.

El aspecto artesanal del mosaico vítreo en formato PENTA es una cualidad inherente en estos productos por el proceso de fabricación. Las teselas podrían incluir ciertas irregularidades y mínimas imperfecciones en el tamaño aportando cierta apariencia rústica más alejada de la perfección cuadrículada. Además la reducción de tamaño y variaciones de tono pueden afectar al aspecto del rejunte y modificar la apariencia natural de estos mosaicos. El uso constituye aceptación de esta advertencia.

ONIX GLASS MOSAIC:

All ONIX 98 % recycled glass mosaics series are made of molten glass. Molten glass characteristics may include irregular edges and small variations in size. These characteristics are inherent to the product and to the standard production. The small size and shape variations can affect the grout joint appearance and enhance the natural aspect of these products. Use constitutes acceptance.


Todas las series ONIX con un 98% de vidrio reciclado están hechas con vidrio molido. Esta materia posee unas características particulares que podría ocasionar ligeras irregularidades y variaciones de tamaño en las fichas. Es una cualidad inherente al producto y a la producción estándar. La reducción de tamaño y variaciones de tono pueden afectar al aspecto del rejunte y modificar la apariencia natural de estos mosaicos. El uso constituye aceptación de esta advertencia.



Made in Spain




98% Recycled Glass




Unalterable Colour



High Resistance




0% Water Absorption



Minimum Thickness



Antislip C3/R11



Maximum Flexibility



ONIX®, founded in 1999 in Onda (Spain), is a world leading glass mosaic company. Within a few years, the company is the Europe's largest producer, has had sales presence in more than 100 countries, developed a wide variety of projects around the world and participated in the main international exhibitions.

The continuous aesthetic search combined with a significant technological potential have positioned this prestigious spanish factory as the benchmark in the world of décor.

ONIX®, fundada en 1999 en Onda (España), es líder mundial en mosaico vítreo. En tan sólo unos años, es el mayor fabricante de mosaico vítreo de Europa, tiene presencia comercial en más de 100 países, realiza infinidad de proyectos por todo el mundo y participa en las principales ferias internacionales.

Su incesante búsqueda estética, sumada a su enorme potencial tecnológico, han posicionado esta prestigiosa firma española como un referente en el universo de la decoración.

ONIX®, une entreprise fondée en 1999 et située à Onda (Espagne), est leader mondial de mosaïque de verre. En quelques années, l'entreprise a réussi à conforter sa présence commerciale dans plus de 100 pays en développant notamment de nombreux projets à travers le monde et en participant aux principaux salons internationaux.

ONIX® est le premier fabricant de mosaïque en verre en Europe. Sa recherche constante de l'esthétique et son énorme potentiel technologique ont fait de cette prestigieuse marque espagnole une référence dans l'univers de la décoration.



ONIX

ONIX MOSAICO

ONIX CERÁMICA, S.L.
AV. Real de Extremadura 23
12200 Onda (Castellón – SPAIN)
T. +34 964 776 287
F. +34 964 776 284
M. onix@onixmosaic.com

ONIX USA

ONIX USA, LLC
9450 NW 12 Street
33172 Miami (USA)
P. 305 599 3153
F. 305 513 4634
M. customerservice@onixmosaic.com



In the interest of maintaining constant improvements, ONIX Mosaico reserves the right to delete and amend, either totally or partially, any of the styles, colours, shapes, sizes, references and other technical specifications contained in this catalogue.

Due to the technical process of reproduction, colours printed are approximate, not exact. The photographs included in this catalogue are not contractual. The interpreting of the pictures will be according to designer's judgment. All the information and texts included in the catalogue keep under the reservation of possible errors. The catalogue is only an informative tool.

Para la mejora de nuestros productos, ONIX Mosaico se reserva el derecho de anular o modificar cualquiera de los modelos, colores, formatos, referencias y especificaciones técnicas contenidas en este catálogo.

Debido a los procesos técnicos de reproducción, los colores son aproximados, no exactos. Las fotografías expuestas en este catálogo no tienen un carácter contractual. La interpretación de las ilustraciones están en función del criterio del creador. Todos los textos e información que aparece en el catálogo quedan bajo la reserva de posibles errores. Este catálogo es una herramienta informativa.

Pour améliorer ses produits, ONIX Mosaico se réserve le droit d'annuler ou de modifier tout modèle, couleur, format, référence ou spécification technique figurant dans ce catalogue.

En raison des procédés techniques de reproduction, les couleurs sont approchantes et non exactes. Les photographies présentées dans ce catalogue ne sont pas contractuelles. L'interprétation des illustrations sera selon le critère du créateur. Tous les textes et information de ce catalogue restent sous réserve de possible erreurs. Ce catalogue est un outil informatif.



ONIX

onixmosaico.com