



HORIZON

COLLECTION



SpecCeramics

A&D Hard Surface Choice
100% Employee Owned



ADEXUSA




GLOSSY FINISH



FROST GLOSSY
ADHOF



NATURAL GLOSSY
ADHON



MIST GLOSSY
ADHOI



MARINA GLOSSY
ADHOM



PLATINUM GLOSSY
ADHOP



SABLE GLOSSY
ADHOS


FIELD TILES

FLAT




831 3"x12"

TEXTURED




930 3"x12" Stripes




932 3"x12" Stripes 2 Lines

TRIMS


FINISHING EDGES



512 FE 0.4"x12"



519 FE 0.4"x12" Stripes



520 FE 0.4"x12" Stripes 2 Lines



500 FE Corner

MATTE FINISH



FROST MATTE
ADHOF



NATURAL MATTE
ADHON



MIST MATTE
ADHOI



MARINA MATTE
ADHOM



PLATINUM MATTE
ADHOP



SABLE MATTE
ADHOS


FIELD TILES

FLAT




831M 3"x12"

TEXTURED




930M 3"x12" Stripes




932M 3"x12" Stripes 2 Lines

TRIMS


FINISHING EDGES



512M FE 0.4"x12"



519M FE 0.4"x12" Stripes



520M FE 0.4"x12" Stripes 2 Lines



500M FE Corner

PLATINUM GLOSSY **ADHOP**



MIST GLOSSY & MATTE **ADHOI**



MARINA GLOSSY **ADHOM**





TECHNICAL GUIDE



FIELD TILES		
SIZE	SIZE SPECIFICATIONS	THICKNESS*
FLATTILE		
3"x12"	2.953"x11.811" (75mm x 300mm)	0.386" (9.8mm)
TEXTURED TILE		
3"x12" Stripes	2.953"x11.811" (75mm x 300mm)	0.386" (9.8mm)
3"x12" Stripes 2	2.953"x11.811" (75mm x 300mm)	0.386" (9.8mm)

APPLICATIONS		
	SUITABLE RESIDENTIAL	SUITABLE COMMERCIAL
Bathroom Walls	YES	YES
Shower Walls	YES	YES
Kitchen Walls	YES	YES
Countertops	YES	NO
Fireplace Surrounds	YES	YES
Outdoor Cooking / Bar Spaces (Non Freeze-Thaw Climates)	YES	YES
Pool Waterlines / Water Fountains	NO	NO
Floors	NO	NO

PERFORMANCE CHARACTERISTICS		
	TEST METHOD ASTM / ISO	RESULT
Water Absorption	C-373 / 10545-3	Pass
Breaking Strength	C-648 / 10545-4	Pass
Stain Resistance	C-1378 / 10545-14	Resistant
Chemical Resistance	C-650 / 10545-13	Resistant
Facial Dimensions	C-499 / 10545-2	Pass
Range of Thickness	C-499 / 10545-2	Pass
Warpage	C-485 / 10545-2	Pass

INSTALLATION	
GROUT JOINT RECOMMENDATION	SHADE VARIATION
1/8"	V1 - Uniform Appearance

CLEANING RECOMMENDATIONS
Routine with a non-abrasive/non-acidic, mild and PH neutral cleaner

CHARACTERISTICS	
Glaze	Solid with subtle movement
Surface Sheen	Glossy and Matte
Texture	Smooth

*Thickness is understood as the highest point of the tile.
 Due to the nature of our tile, a certain amount of variation in color, shading, surface and texture are to be expected.



CONTACT US

Corporate Headquarters South East Distribution Center

9450 N.W. 12th St.
Miami, FL 33172
Office: 305-513-4633
Fax: 305-513-4634
customerservice@adexusa.com

West Coast Distribution Center

1745 N. St. Thomas Cir.
Orange, CA 92865
Office: 714-773-0197
Fax: 714-773-9352
customerservicewest@adexusa.com

North East Distribution Center

1000 Wall St. W.
Lyndhurst, NJ 07071
Office: 201-355-8772
Fax: 201-636-2802
customerservicene@adexusa.com

www.adexusa.com



SpecCeramics

A&D Hard Surface Choice
100% Employee Owned