





PRE-FAB

32"X96"

12 MM THICKNESS
(1/2" THICK)

MULTIPURPOSE
SOLUTION FOR
RESIDENTIAL AND
COMMERCIAL
SPACES.



SpecCeramics
A&D Hard Surface Choice
100% Employee Owned

MIKE® *stone*
Sustainable Tile, Made in the USA

MILE[®]*stone*'s **PRE-FAB 32"x96"** product range offers solutions for **versatile paneling**, suitable for a wide range of interior and exterior applications. **Crafted with precision and durability in mind**, these oversized porcelain tiles redefine functionality and aesthetics.

MILE[®]*stone*'s PRE-FAB, offered in a 32"x96" size, provides **multipurpose solutions** for various applications in **residential and commercial spaces**.


REDEFINING
FUNCTIONALITY
AND AESTHETICS.

A WORLD OF **DESIGN** POSSIBILITIES.



Why choose **PRE-FAB**?

- **Quick and easy installation**
minimal tools required.
- **Lightweight and portable**
easy to handle and transport.
- **Versatile**
great for countertops, showers, and custom furniture.
- **Perfect DIY option**
ideal for fast and affordable remodelling.
- **Eco-friendly and sustainable**
an environmentally responsible solution.



48"x110"

PRE-FAB
32"x96"

A SUSTAINABLE SOLUTION
TO TRANSFORM ANY SPACE.
PRE-FAB REDUCES WASTE
AND ENVIRONMENTAL
FOOTPRINT.

Wall imprint_48"x110" Underglazed_Ombre_Warm_Matte
Table imprint_Pre-Fab_32"x96" Intaglio_Kaolin_Matte
Countertop EcoStone_Pre-Fab_32"x96" Fog_Matte
Floor imprint_24"x24" Intaglio_Cool_Matte



Wall imprint_48"x110"_Underglazed_Ombre_Warm_Matte
Table imprint_Pre-Fab_32"x96"_Intaglio_Kaolin_Matte
Floor imprint_24"x24"_Intaglio_Cool_Matte





Wall imprint_48"x110" Underglazed Ombre Warm Matte
 Countertop EcoStone Pre-Fab_32"x96" Fog Matte
 Table imprint Pre-Fab_32"x96" Intaglio Kaolin Matte
 Floor imprint_24"x24" Intaglio Cool Matte

PRE-FAB 32”x96” porcelain tiles offer unmatched versatility. Their **12mm (1/2”) thickness and rectified size** ensures **durability** during fabricaiton, and **strength** for handling and shipping with confidence.

Resistant to mold, mildew, stains, UV, weather, and wear, these porcelain tiles are ideal for **indoor and outdoor use**. Combining innovation, durability, and design flexibility, MILE®*stone*’s PRE-FAB material opens up **endless possibilities for stylish, functional spaces**.



Wall Farmhouse_Living_48"x110"_Millstone_Matte
Table Jem_Pre-Fab_32"x96"_Sharknose_Adagio_White_Matte
Floor Farmhouse_Living_24"x24"_Slate_2CM

PRE-FAB 32”X96”
ELEVATES INTERIOR
AND EXTERIOR DESIGN
POSSIBILITIES.



Wall imprint 24"x48" Strata_Kaolin_Matte
Countertop Travertine_Pre-Fab_32"x96" L-Shaped Top_Silver_Matte
Floor Farmhouse_Living_24"x24" Slate_2CM



Wall imprint_48"x110" Underglazed_Ombre_Warm_Matte
Table Ecostone_Pre-Fab_32"x96" Sharknose_Jute_Cross_Cut_Matte
Floor Ecostone_48"x48" Jute_Cross_Cut_Matte



Wall Farmhouse_Living_48"x110"_Millstone_Matte
Table Jem_Pre-Fab_32"x96"_Sharknose_Adagio_White_Matte
Floor Farmhouse_Living_24"x24"_Slate_2CM



Wall Farmhouse_Living_Pre-Fab_32"x96"_Millstone_Matte
Vanity Farmhouse_Living_Pre-Fab_32"x96"_Sharknose_Millstone_Matte
Floor Farmhouse_Living_48"x48"_Millstone_Matte





IDEAL FOR COUNTERTOPS
AND SURFACES, ASSURING
DURABILITY, STAIN, AND
CHEMICAL RESISTANCE.

*Countertop Ecostone_Pre-Fab_32"x96"_Sharknose_Jute_Cross_Cut_Matte
Floor Imprint_Intaglio_24"x48"_Kaolin_Matte*



JEM ADAGIO WHITE




Size and finishes


32"x96"
12 mm thickness
(1/2 inch thick)

1105112
Matte rectified

1105198
Sharknose
Matte rectified



1106072
L-Shaped Top
Matte rectified



JEM ARIA GOLD




Size and finishes


32"x96"
12 mm thickness
(1/2 inch thick)

1105113
Matte rectified

1105199
Sharknose
Matte rectified



1106073
L-Shaped Top
Matte rectified




1105205
Polished rectified

1105206
Sharknose
Polished rectified



1106074
L-Shaped Top
Polished rectified



ECOSTONE FOG CROSS CUT




Size and finishes


32"x96"
12 mm thickness
(1/2 inch thick)

1105109
Matte rectified

1105195
Sharknose
Matte rectified



1106067
L-Shaped Top
Matte rectified



ECOSTONE FOSSIL CROSS CUT




Size and finishes


32"x96"
12 mm thickness
(1/2 inch thick)

1105110
Matte rectified

1105196
Sharknose
Matte rectified



1106069
L-Shaped Top
Matte rectified



ECOSTONE JUTE CROSS CUT




Size and finishes


32"x96"
12 mm thickness
(1/2 inch thick)

1105111
Matte rectified

1105197
Sharknose
Matte rectified



1106068
L-Shaped Top
Matte rectified



2in

IMPRINT KAOLIN




Size and finishes


32"x96"
12 mm thickness
(1/2 inch thick)

1105101
Matte rectified

1105194
Sharknose
Matte rectified



1106373
L-Shaped Top
Matte rectified



2in

FARMHOUSE LIVING ALABASTER




Size and finishes


32"x96"
12 mm thickness
(1/2 inch thick)

1105114
Matte rectified

1105200
Sharknose
Matte rectified



1106070
L-Shaped Top
Matte rectified



FARMHOUSE LIVING MILLSTONE




Size and finishes


32"x96"
12 mm thickness
(1/2 inch thick)

1105115
Matte rectified

1105201
Sharknose
Matte rectified



1106071
L-Shaped Top
Matte rectified



TRAVERTINE ROMAN




Size and finishes


32"x96"
12 mm thickness
(1/2 inch thick)

1105671
Matte rectified

1105676
Sharknose
Matte rectified



1106075
L-Shaped Top
Matte rectified



TRAVERTINE NAVONA




Size and finishes


32"x96"
12 mm thickness
(1/2 inch thick)

1105672
Matte rectified

1105677
Sharknose
Matte rectified



1106076
L-Shaped Top
Matte rectified



TRAVERTINE SILVER




Size and finishes


32"x96"
12 mm thickness
(1/2 inch thick)

1105673
Matte rectified

1105678
Sharknose
Matte rectified



1106077
L-Shaped Top
Matte rectified



TRAVERTINE TITANIUM




Size and finishes


32"x96"
12 mm thickness
(1/2 inch thick)

1105674
Matte rectified

1105679
Sharknose
Matte rectified



1106078
L-Shaped Top
Matte rectified



TRAVERTINE BOLD




Size and finishes


32"x96"
12 mm thickness
(1/2 inch thick)

1105675
Matte rectified

1105680
Sharknose
Matte rectified



1106079
L-Shaped Top
Matte rectified



Colors & Sizes

Colors	32"x96"	32"x96" Sharknose	25.5"x96" L-Shaped Top
ADAGIO WHITE - JEM	Matte 1105112	Matte 1105198	Matte 1106072
ARIA GOLD - JEM	Matte 1105113	Matte 1105199	Matte 1106073
	Polished 1105205	Polished 1105206	Polished 1106074
FOG CROSS CUT - ECOSTONE	Matte 1105109	Matte 1105195	Matte 1106067
KAOLIN - IMPRINT	Matte 1105101	Matte 1105194	Matte 1106373
ALABASTER - FARMHOUSE LIVING	Matte 1105114	Matte 1105200	Matte 1106070
JUTE CROSS CUT - ECOSTONE	Matte 1105111	Matte 1105197	Matte 1106068
FOSSIL CROSS CUT - ECOSTONE	Matte 1105110	Matte 1105196	Matte 1106069
MILLSTONE - FARMHOUSE LIVING	Matte 1105115	Matte 1105201	Matte 1106071
ROMAN - TRAVERTINE	Matte 1105671	Matte 1105676	Matte 1106075
NAVONA - TRAVERTINE	Matte 1105672	Matte 1005677	Matte 1106076
SILVER - TRAVERTINE	Matte 1105673	Matte 1005678	Matte 1106077
TITANIUM - TRAVERTINE	Matte 1105674	Matte 1105679	Matte 1106078
BOLD - TRAVERTINE	Matte 1105675	Matte 1105680	Matte 1106079

Colors shown may vary from actual product. Final selection should be made from actual product samples.

Cleaning & Maintenance / Routine Care Instructions



Scan the QR code with your smartphone.

Technical Specifications

This product meets or exceeds all standards described in ANSI A137.1 & A137.3.
Este product cumple o exceed todos los estandares de ANSI A137.1 & A137.3.

	SPECS	TEST METHOD	INDUSTRY STANDARD	MILE®stone VALUES	
	WATER ABSORPTION	ASTM C373	≤0.5%	≤0.5%	
	SURFACE WEAR RESISTANCE	ANSI A137.1	Surface Wear-resistance properties of glazed vitreous and porcelain tiles.	ALL RESIDENTIAL / COMMERCIAL	
	CHEMICAL RESISTANCE	ASTM C650	A tile sample is placed in continuous contact with a variety of chemicals for 24 hours. Sample must show no visible defects.	NOT AFFECTED	
	D.C.O.F. AcuTest®	ANSI A326.3	INDOOR ≥0.42 WET	≥0.42 WET (MATTE SURFACES)	
			OUTDOOR >0.55 WET	>0.55 WET (2CM & GRIP)	
	STAIN RESISTANCE	ASTM C1378	Surfaces are exposed to staining agents for 24 hours followed by four cleaning procedures. Results are recorded post cleaning.	NOT AFFECTED	
	BREAKING STRENGTH GAUGED PORCELAIN 6MM	ASTM C1505	≥175 lbf	≥200 lbf	
	BREAKING STRENGTH	ASTM C648	≥275 lbf	≥300 lbf	
	BREAKING STRENGTH OUTDOOR 2CM	ASTM 1505	2000 lbf (10.9 kN)	≥2500 lbf	
	RESISTANCE TO FREEZE	ASTM C1026	A tile sample is subjected to repeated processes of freezing and thawing. Sample must show no visible defects.	RESISTANT	
	WARPAGE EDGE	ASTM C485	±0.40% or ±0.05 in (±1.8 mm)	± 0.40%	Rectified
	WARPAGE DIAGONAL	ASTM C485	±0.40% or ±0.07 in (±1.8 mm)	± 0.40%	Rectified
	WEDGING	ASTM C502	±0.25% or ±0.03 in (±0.8 mm)	± 0.25%	Rectified
	WARPAGE EDGE	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated
	WARPAGE DIAGONAL	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated
	WEDGING	ASTM C502	±0.50% or ±0.08 in (±2.0 mm)	± 0.50%	Calibrated
	THICKNESS GAUGED PORCELAIN	ASTM C499	Range: ± 0.02 in	≤0.02 in	
	THICKNESS	ASTM C499	Range: ± 0.04 in	≤0.04 in	
	LENGTH / WIDTH VARIATION	ASTM C499	±0.25% or ±0.03 in (±0.8 mm)	±0.25%	

• Due to the inherent nature of fired porcelain tile, it is important to note that the coefficient of friction may vary within and between product runs.

Green Certifications & Accreditations

DESCRIPTION	
	Declare labels disclose all intentionally added ingredients and residuals present in the final product. Being Red List Free means the worst materials, chemicals, and elements for human and environmental health are not present within our products.
	The Health Product Declaration Collaborative transparency declaration for all of Florim USA's naturally occurring materials.
	Certification of plant and product specific Environmental Product Declaration (EPD) which tracks environmental impacts from the production of porcelain tile.
	Tile Council of North America and the American National Standards Institute's standard for sustainability and environmental impact.
	Underwriter's Laboratories certification of low emitting materials. Florim USA is Green Guard Gold certified.
	Defines post-consumer content of as much as 3% recycled material which reduces landfill impact. Certified by Bureau Veritas.
	Defines pre-consumer content of as much as 45% recycled material which reduces our carbon footprint. Certified by Bureau Veritas.
	Florim USA's sustainability and social practices support the mission of The International Living Future Institute which strives to create a socially just, culturally rich, and ecologically restorative community.
	USGBC is committed to suit a more sustainable life. Florim USA supports this mission by manufacturing products which aid architects in achieving USGBC certification.
	Florim USA is proud to regionally source 100% of the raw materials used in the production of the body of our tile, supporting local industries and sustainable practices.
	Florim USA actively participates in the Tile Council of North America which allows us to be on the forefront of advances in the tile industry and its standards.
	The Tennessee Recycling Coalition is dedicated to promoting recycling and sustainable material management practices, and awarded Florim USA the Tennessee Recycler of the Year award for 2020.
	ISO 9001 & ISO 14001 are globally recognized standards. ISO 9001 certifies that Florim USA products and practices continually meet and exceed customer and regulatory requirements. ISO 14001 certifies that Florim USA complies with environmental regulations and that it's manufacturing practices are environmentally conscious.
	Florim USA updated its corporate charter in 2022 to become a Benefit Corporation. Our company is committed to maintaining this designation through initiatives focused on sustainability, social responsibility, ethical business practices and transparent, annual reporting on our social and environmental performance.

Progress that invests in the entire society

As an active member of the U.S Green Building Council, MILE®stone spreads awareness to the community and encourages the use of building solutions through environmentally friendly practices. Our products positively contribute to the requirements for obtaining the LEED (Leadership in Energy and Environmental Design) and WELL (IWBI) certifications.

A commitment to environmental sustainability and responsibility

We are committed to conscious development that minimizes the negative impact of manufacturing production on the environment. Our general approach to sustainability intersects with our business strategy to embrace three areas of responsibility: economic, social, and environmental. Some ways we prove this are:

- Products containing as much as 45% recycled content.
- Post-consumer recycled content levels as much as 3%.
- Zero industrial wastewater discharge.
- A 99% internal process recycling rate.
- Local sourcing of >95% raw materials (within 500-mile radius of factory) resulting in low transportation related carbon emissions.

MILE®stone is taking these and other steps, as well as actively investing to reduce carbon emissions to ensure that we reach full carbon neutrality.



PRE-FAB 32"x96"

Merchandising Tools

32"X96" 2 PANEL STAND



8702273
Features
2pcs of 32"x96" 12mm
31"x97"x16"

PRE-FAB 32"x96" DISPLAY



8702272
Features
1pc of 32"x96" 12mm
20pcs of 6"x12" 12mm
44"x96"x16"

TABLETOP 6"x12" DISPLAY



8702225
Features
12pcs of 6"x12" 12mm/6mm
12"x14"x11"

MADE IN THE USA

