

# MYCRO

HYPER™  
LONG LIVE BEAUTY

CERAMIC  
EVOLUTION

Linee essenziali, ritmo modulare.  
Superfici precise, libertà progettuale.



# MYCRO

HYPER™  
LONG LIVE BEAUTY

CERAMIC  
EVOLUTION

Essential lines, modular rhythm.  
Precise surfaces, design freedom.



## HYPER<sup>TM</sup>

Una raccolta di progetti che esalta l'estetica dei materiali con le più alte prestazioni del gres porcellanato a tutto spessore, resistente e inalterabile nel tempo. Ogni prodotto è ottenuto attraverso la miscelazione di materie prime che creano superfici uniche e irripetibili nella loro componente tecnica e stilistica, progettate per dare spazio alle emozioni più intense. Hyper<sup>TM</sup> è garanzia di affidabilità e bellezza oltre il tempo e lo spazio fisico.

This collection of projects enhances material aesthetics with the ultra-high performance of full-body porcelain stoneware that is resistant and immune to change. Every product is achieved by mixing raw materials to create surfaces that evoke high-intensity emotions thanks to their unique unrepeatable technical components and style. Hyper<sup>TM</sup> is a guarantee of reliability and beauty that goes beyond time and physical space.

INDICE  
INDEX



MYCRO B  
8



MYCRO A  
12



MYCRO AG  
18



MYCRO WX  
22



MYCRO MG  
28



MYCRO GN  
32

# MIYCRO



# MYCRO

ATTITUDINE ARCHITETTONICA  
PER NUOVE VISIONI ABITATIVE.

AN ARCHITECTURAL MINDSET  
FOR NEW VISIONS OF LIVING.

Mycro è espressione di un'evoluzione ceramica che parla sempre più il linguaggio dell'architettura.

Una sintesi virtuosa tra essenzialità, modularità e rigore al servizio di un pensiero che ambisce a proporre nuove visioni progettuali.

Mycro is the expression of a ceramic evolution that increasingly speaks the language of architecture. It is a virtuous synergy of essential design, modularity and precision at the service of a philosophy focused on delivering new design visions.



MYCRO WX & MYCRO B - MYCRO - HYPER™

- MYCRO 12WX RM
- MYCRO 120B RM
- MYCRO RG0WX RM



MYCRO B - MYCRO - HYPER™

MYCRO 120B RM



MYCRO WX & MYCRO B - MYCRO - HYPER™

MYCRO 12WX RM  
MYCRO 120B RM  
MYCRO R60WX RM



MYCRO AL - MYCRO - HYPER™

MYCRO 120AL



MYCRO AL - MYCRO - HYPER™

MYCRO 120AL

MYCRO AL - MYCRO - HYPER™

MYCRO 120AL





6 colori neutri offrono molteplici spunti per valorizzare le scelte di stile e composizione attraverso contesti che, forti di un'eleganza essenziale, recitano un innato ruolo da protagonisti.

6 neutral colours offer multiple stimuli for enhancing style and composition choices that make contexts stand out naturally thanks to their minimalist elegance.

MYCRO AG - MYCRO - HYPER™

MYCRO 36AG RM  
MYCRO 60AG RM






MYCRO AG - MYCRO - HYPER™

MYCRO 36AG RM  
MYCRO 60AG RM

MYCRO AG - MYCRO - HYPER™

MYCRO 36AG RM  
MYCRO 60AG RM





MYCRO WX - MYCRO - HYPER™

MYCRO 12WXL  
MYCRO 120WX RM  
MYCRO R12B RM



MYCRO WX - MYCRO - HYPER™

MYCRO 12WXL  
MYCRO 120WX RM



MYCRO WX - MYCRO - HYPER™

MYCRO 120WX RM



4 formati invitano a concepire la modularità come elemento di valore architettonico. Espressioni di una razionalità compositiva che si traduce in elevata versatilità progettuale.

4 formats present modularity as an element of architectural prestige. Expressions of compositional rationality that ensure advanced design versatility.

MYCRO WX & MYCRO MG - MYCRO - HYPER™

MYCRO 12WXL

MYCRO 12MG RM

MYCRO 120MG RM





MYCRO WX & MYCRO MG - MYCRO - HYPER™

MYCRO 12WXL  
MYCRO 120MG RM

MYCRO WX & MYCRO MG - MYCRO - HYPER™  
MYCRO 12WXL  
MYCRO 12MG RM  
MYCRO 120MG RM





MYCRO GN - MYCRO - HYPER™


MYCRO 120GNL



MYCRO GN - MYCRO - HYPER™  
MYCRO 1206NL

MYCRO GN - MYCRO - HYPER™  
MYCRO 1206NL







3 finiture - con  
differenti gradazioni di  
tattilità e luminosità -  
permettono di attribuire  
a ogni progetto la giusta  
personalità, in equilibrio  
tra inclinazione stilistica  
e resa prestazionale.

3 finishes - with different levels of texture  
and brightness - enhance any project with the  
perfect personality and an ideal balance of style  
and performance.

## MYCRO B




## MYCRO A



120x120 - 48"x48"



60x120 - 24"x48"




60x60 - 24"x24"



30x60 - 12"x24"


	MYCRO 120B RM 200012	MYCRO 12B RM 200027	MYCRO 60B RM 200018	MYCRO 36B RM 200416
	MYCRO 120BL 200038	MYCRO 12BL 200044		
	MYCRO R120B RM 200050		MYCRO R60B RM 200056	



120x120 - 48"x48"



60x120 - 24"x48"



60x60 - 24"x24"




30x60 - 12"x24"

	MYCRO 120A RM 200011	MYCRO 12A RM 200017	MYCRO 60A RM 200032	MYCRO 36A RM 200415
	MYCRO 120AL 200037	MYCRO 12AL 200043		
	MYCRO R120A RM 200049		MYCRO R60A RM 200055	

\* On account of the nature of the product that maintains its aesthetic characteristics throughout the entire body of the material, the polished finish can be restored to eliminate any small surface marks that may have been generated by years of foot traffic.

\* On account of the nature of the product that maintains its aesthetic characteristics throughout the entire body of the material, the polished finish can be restored to eliminate any small surface marks that may have been generated by years of foot traffic.

## MYCRO WX




## MYCRO AG



120x120 - 48"x48"



60x120 - 24"x48"




60x60 - 24"x24"



30x60 - 12"x24"


	MYCRO 120WX RM 200013	MYCRO 12WX RM 200028	MYCRO 60WX RM 200033	MYCRO 36WX RM 200417
	MYCRO 120WXL 200039	MYCRO 12WXL 200045		
	MYCRO R120WX RM 200051		MYCRO R60WX RM 200057	



120x120 - 48"x48"



60x120 - 24"x48"



60x60 - 24"x24"



30x60 - 12"x24"

	MYCRO 120AG RM 200016	MYCRO 12AG RM 200031	MYCRO 60AG RM 200036	MYCRO 36AG RM 200420
	MYCRO 120AGL 200042	MYCRO 12AGL 200048		
	MYCRO R120AG RM 200054		MYCRO R60AG RM 200060	


\* On account of the nature of the product that maintains its aesthetic characteristics throughout the entire body of the material, the polished finish can be restored to eliminate any small surface marks that may have been generated by years of foot traffic.

\* On account of the nature of the product that maintains its aesthetic characteristics throughout the entire body of the material, the polished finish can be restored to eliminate any small surface marks that may have been generated by years of foot traffic.

## MYCRO MG




## MYCRO GN



120x120 - 48"x48"



60x120 - 24"x48"




60x60 - 24"x24"



30x60 - 12"x24"


	MYCRO 120MG RM 200015	MYCRO 12MG RM 200030	MYCRO 60MG RM 200035	MYCRO 36MG RM 200419
	MYCRO 120MGL 200041	MYCRO 12MGL 200047		
	MYCRO R120MG RM 200053		MYCRO R60MG RM 200059	



120x120 - 48"x48"



60x120 - 24"x48"



60x60 - 24"x24"



30x60 - 12"x24"

	MYCRO 120GN RM 200014	MYCRO 12GN RM 200029	MYCRO 60GN RM 200034	MYCRO 36GN RM 200418
	MYCRO 120GNL 200040	MYCRO 12GNL 200046		
	MYCRO R120GN RM 200052		MYCRO R60GN RM 200058	

\* On account of the nature of the product that maintains its aesthetic characteristics throughout the entire body of the material, the polished finish can be restored to eliminate any small surface marks that may have been generated by years of foot traffic.

\* On account of the nature of the product that maintains its aesthetic characteristics throughout the entire body of the material, the polished finish can be restored to eliminate any small surface marks that may have been generated by years of foot traffic.

THROUGH-BODY PORCELAIN TILE / GRES PORCELLANATO A TUTTA MASSA

HIGH PERFORMANCE + RESTORABLE POLISHED FINISH \*

CONFORME / ACCORDING TO

UNI EN 14411 - G Bia



I pezzi speciali ed i fondi possono presentare leggere differenze di tonalità fra di loro. / Special pieces and backgrounds can have slightly different shades from one another.

Il bordo può mostrare una piccola diversità cromatica fra la superficie ed il corpo del pezzo ceramico. / There can be a slight colour difference on the edge between the surface and the main ceramic piece.

PEZZI SPECIALI / SPECIAL PIECES

	6x120-2.4"x48"	6x60-2.4"x24"	120x32,5-48"x12,8"		6x120-2.4"x48"	6x60-2.4"x24"
MYCRO B	MYCRO BT120B 200515	MYCRO BT60B 200503	MYCRO G120B 200527		MYCRO BT60BL 200509	MYCRO BT120BL 200521
MYCRO A	MYCRO BT120A 200514	MYCRO BT60A 200502	MYCRO G120A 200526		MYCRO BT60AL 200508	MYCRO BT120AL 200520
MYCRO WX	MYCRO BT120WX 200516	MYCRO BT60WX 200504	MYCRO G120WX 200528		MYCRO BT60WXL 200510	MYCRO BT120WXL 200522
MYCRO AG	MYCRO BT120AG 200519	MYCRO BT60AG 200507	MYCRO G120AG 200531		MYCRO BT60AGL 200513	MYCRO BT120AGL 200525
MYCRO MG	MYCRO BT120MG 200518	MYCRO BT60MG 200506	MYCRO G120MG 200530		MYCRO BT60MGL 200512	MYCRO BT120MGL 200524
MYCRO GN	MYCRO BT120GN 200517	MYCRO BT60GN 200505	MYCRO G120GN 200529		MYCRO BT60GNL 200511	MYCRO BT120GNL 200523

IMBALLI / PACKAGING

FORMATO NOMINALE NOMINAL SIZE	BORDO EDGE	SPESSORE THICKNESS	SCATOLA / BOX			PALLET		
			PZ/BOX PCS/BOX	MQ/BOX SM/BOX	KG/BOX KG/BOX	BOX/PALLET BOXES/PALLET	MQ/PALLET SM/PALLET	KG/PALLET KG/PALLET
120x120-48"x48"	RECTIFIED	10	1	1,44	33,70	36	51,84	1266,5
60x120-24"x48"	RECTIFIED	10	2	1,44	31,50	30	43,20	965,50
60x60-24"x24"	RECTIFIED	10	3	1,08	25,27	40	43,20	1025,00
30x60-12"x24"	RECTIFIED	10	6	1,08	24,40	40	43,20	991,40

CARATTERISTICHE TECNICHE SPECIFICHE / TECHNICAL FEATURES SPECIFICATIONS

	DIN EN 16165 Annex B (DIN 51130) (R)	DIN EN 16165 Annex A (DIN 51097) (A+B+C)	B.C.R. DM 14/6/89 N. 236		PENDULUM BS EN16165 ANNEX C / BS7976 (INGLESE)	PENDULUM AS/NZS 4856 (AUSTRALIANO)	PENDULUM UNE 41901/ 12633 (SPAGNOLO)	BOT 3000 (DCOF) ANSI 326.3 (AMERICANO)
			C.A.	G.B.				
MYCRO RM	R10	A	>0.4	>0.4	>25	P1	1	>0,42
MYCRO R	R11	C	>0.4	>0.4	>36	P4	1	>0,42

\* On account of the nature of the product that maintains its aesthetic characteristics throughout the entire body of the material, the polished finish can be restored to eliminate any small surface marks that may have been generated by years of foot traffic.

Caratteristiche Tecniche Gres Porcellanato  
Technical Specifications Porcelain Stoneware


CONFORME / ACCORDING TO

UNI EN 14411 - G Bia

CARATTERISTICA Specification	METODO DI PROVA Test methods	REQUISITI PREVISTI DALLA NORMA Requirements in accordance to the standards	VALORE MEDIO Average value
DIMENSIONI E ASPETTO DIMENSIONS AND APPEARANCE	ISO 10545-2	PROSPETTO G.1 PROSPECT G.1	CONFORME COMPLIANT
ASSORBIMENTO D'ACQUA WATER ABSORPTION	ISO 10545-3	≤ 0,5%	< 0,1%
RESISTENZA A FLESSIONE FLEXURAL RESISTANCE		min. 35 N/mm <sup>2</sup>	> 45 N/mm <sup>2</sup>
SFORZO DI ROTTURA MODULUS OF RUPTURE	ISO 10545-4	SPESSORE / THICKNESS ≥ 7,5 mm: min. 1300N	6,5 mm 1800 N*
		SPESSORE / THICKNESS < 7,5 mm: min. 1300 N	10 mm 3000 N* 20 mm 13000 N*
RESISTENZA ALL'ABRAZIONE PROFONDA DEEP ABRASION RESISTANCE	ISO 10545-6	≤ 175 mm <sup>3</sup>	< 140 mm <sup>3</sup>
COEFFICIENTE DILATAZIONE TERMICA LINEARE (α) LINEAR EXPANSION THERMIC COEFFICIENT	ISO 10545-8	METODO DISPONIBILE AVAILABLE ON REQUEST	≤ 7x10 <sup>-6</sup> °C <sup>-1</sup>
RESISTENZA AGLI SBALZI TERMICI RESISTANCE TO SUDDEN TEMPERATURE CHANGES	ISO 10545-9	METODO DISPONIBILE AVAILABLE ON REQUEST	RESISTE RESISTANT
RESISTENZA AL GELO FROST RESISTANCE	ISO 10545-12	RICHIESTA ALWAYS TESTED	RESISTE RESISTANT
PRODOTTI CHIMICI AD USO DOMESTICO ED ADDITIVI PER PISCINA HOUSEHOLD CHEMICALS AND SWIMMING POOL WATER CLEANSERS		min. B	min. B
ACIDI ED ALCALI A BASSA CONCENTRAZIONE ACIDS AND LOW CONCENTRATION ALKALIS	ISO 10545-13	DA LA, LB A LC FROM LA, LB TO LC	DA LA, LB A LC FROM LA, LB TO LC
ACIDI ED ALCALI AD ALTA CONCENTRAZIONE ACIDS AND HIGH CONCENTRATION ALKALIS		METODO DISPONIBILE AVAILABLE ON REQUEST	METODO DISPONIBILE AVAILABLE ON REQUEST
RESISTENZA ALLE MACCHIE UGL STAIN RESISTANCE UGL	ISO 10545-14	METODO DISPONIBILE AVAILABLE ON REQUEST	METODO DISPONIBILE AVAILABLE ON REQUEST
RESISTENZA ALLE MACCHIE GL STAIN RESISTANCE GL		min. 3	min. 3

\* VALORI RIFERITI AL FORMATO 60X60 / VALUES REFERRED TO 60X60 SIZE

**INDICAZIONI D'USO**  
INDICATIONS FOR USE



**Pavimento**  
Floor tiles



**Rivestimento**  
Wall tiles

**DESTINAZIONI D'USO**  
SUGGESTED APPLICATIONS



**Abitazioni**  
Domestic purpose



**Commerciale leggero**  
Light commercial



**Commerciale**  
Commercial



**Commerciale pesante**  
Heavy traffic area



**Esterni**  
Outdoor floor

**SUPERFICI**  
SURFACES

**Finitura**  
Finish



**Naturale**  
Natural



**\* Levigato**  
Polished

**Aspetto superficiale**  
Surface look



**Opaco**  
Matt



**Lucido ripristinabile**  
Restorable glossy

**Bordo**  
Edge



**Rettificato monocalibro**  
Monocaliber, rectified

**STONALIZZAZIONE**  
SHADE VARIATION



**SPESSORE**  
THICKNESS



**CARATTERISTICHE DI VENDITA**  
SALES CHARACTERISTICS



**Imballo.**  
Packaging.



**Prodotto venduto al pezzo.**  
Product sold per item.

Tutti i nostri prodotti, sia al mq che al pezzo, sono venduti unicamente a scatola completa.  
All our products are sold only in complete boxes, whether the unit of measure is per item or per square metre.

\* Le superfici con finitura lappata lucida e levigata sono consigliate per qualsiasi tipo di rivestimento e per pavimenti residenziali o per superfici calpestabili che non hanno un diretto collegamento con l'esterno o che hanno accessi protetti da appositi stuoi.

Come è noto tutte le superfici lucide subiscono con l'uso un naturale processo di opacizzazione. Nel caso dei materiali in gres porcellanato di Imola questo processo è più lento rispetto a qualsiasi altro materiale naturale lavorato a lucido come marmo, pietra, granito.

Surfaces with a honed and polished gloss finish are recommended for any kind of wall tile, residential floor or floors that are not directly connected with the outdoors or whose entrances are protected by mats. As is well known, all gloss surfaces naturally lose their shine over time. With Imola porcelain stoneware this process is slower than other honed natural materials like marble, granite or stone.

**A brand of**  
**Cooperativa Ceramica d'Imola S.c.**

Via V. Veneto, 13  
40026 Imola (BO) Italia  
Tel. +39 0542 601601  
Fax +39 0542 31749



COOPERATIVA

CERAMICA

IMOLA - DAL 1874



FARE FUTURO  
FURTHER  
TOGETHER