

SIGNATURE

CERAMIC WALL TILES






SIGNATURE

CERAMIC WALL TILES


BY SIZE 3" x 6"



Blanco 7.5x15 cm | 3"x6" FLAT
Gloss | Matte



Gris 7.5x15 cm | 3"x6" FLAT
Gloss | Matte



Ivory 7.5x15 cm | 3"x6" FLAT
Gloss | Matte



Oatmeal 7.5x15 cm | 3"x6" FLAT
Gloss | Matte



Pewter 7.5x15 cm | 3"x6" FLAT
Gloss



Mint 7.5x15 cm | 3"x6" FLAT
Gloss



Denim 7.5x15 cm | 3"x6" FLAT
Gloss



Slate Blue 7.5x15 cm | 3"x6" FLAT
Gloss



Fog Grey 7.5x15 cm | 3"x6" FLAT
Gloss




Gunmetal 7.5x15 cm | 3"x6" FLAT
Gloss



Black 7.5x15 cm | 3"x6" FLAT
Gloss | Matte


BY SIZE 4" x 8"



Blanco 10x20 cm | 4"x8" FLAT
Gloss | Matte



Gris 10x20 cm | 4"x8" FLAT
Gloss | Matte




Ivory 10x20 cm | 4"x8" FLAT
Gloss



Oatmeal 10x20 cm | 4"x8" FLAT
Gloss




Pewter 10x20 cm | 4"x8" FLAT
Gloss



Blanco 10x20 cm | 4"x8" BEVEL
Gloss | Matte




Gris 10x20 cm | 4"x8" BEVEL
Gloss | Matte




Ivory 10x20 cm | 4"x8" BEVEL
Gloss



Oatmeal 10x20 cm | 4"x8" BEVEL
Gloss




Pewter 10x20 cm | 4"x8" BEVEL
Gloss



Blanco 10x20 cm | 4"x8" FRAME
Gloss | Matte



Gris 10x20 cm | 4"x8" FRAME
Gloss | Matte



Ivory 10x20 cm | 4"x8" FRAME
Gloss



Oatmeal 10x20 cm | 4"x8" FRAME
Gloss




Pewter 10x20 cm | 4"x8" FRAME
Gloss



SIGNATURE

CERAMIC WALL TILES


BY SIZE 4" x 12"



Blanco 10x30 cm | 4"x12" FLAT
Gloss | Matte



Gris 10x30 cm | 4"x12" FLAT
Gloss | Matte



Ivory 10x30 cm | 4"x12" FLAT
Gloss | Matte




Oatmeal 10x30 cm | 4"x12" FLAT
Gloss | Matte



Pewter 10x30 cm | 4"x12" FLAT
Gloss



Black 10x30 cm | 4"x12" FLAT
Gloss | Matte



Blanco 10x30 cm | 4"x12" BEVEL
Gloss | Matte



Gris 10x30 cm | 4"x12" BEVEL
Gloss | Matte



Ivory 10x30 cm | 4"x12" BEVEL
Gloss | Matte




Oatmeal 10x30 cm | 4"x12" BEVEL
Gloss | Matte



Pewter 10x30 cm | 4"x12" BEVEL
Gloss




Black 10x30 cm | 4"x12" BEVEL
Gloss | Matte



Blanco 10x30 cm | 4"x12" FRAME
Gloss | Matte



Gris 10x30 cm | 4"x12" FRAME
Gloss | Matte



Ivory 10x30 cm | 4"x12" FRAME
Gloss | Matte



Oatmeal 10x30 cm | 4"x12" FRAME
Gloss | Matte



Pewter 10x30 cm | 4"x12" FRAME
Gloss



Black 10x30 cm | 4"x12" FRAME
Gloss | Matte



Mint 10x30 cm | 4"x12" FLAT
Gloss



Denim 10x30 cm | 4"x12" FLAT
Gloss



Slate Blue 10x30 cm | 4"x12" FLAT
Gloss



Fog Grey 10x30 cm | 4"x12" FLAT
Gloss



Gunmetal 10x30 cm | 4"x12" FLAT
Gloss



Mint 10x30 cm | 4"x12" BEVEL
Gloss



Denim 10x30 cm | 4"x12" BEVEL
Gloss



Slate Blue 10x30 cm | 4"x12" BEVEL
Gloss



Fog Grey 10x30 cm | 4"x12" BEVEL
Gloss



Gunmetal 10x30 cm | 4"x12" BEVEL
Gloss



Mint 10x30 cm | 4"x12" FRAME
Gloss



Denim 10x30 cm | 4"x12" FRAME
Gloss



Slate Blue 10x30 cm | 4"x12" FRAME
Gloss




Fog Grey 10x30 cm | 4"x12" FRAME
Gloss




Gunmetal 10x30 cm | 4"x12" FRAME
Gloss

BY SIZE 4" x 16"



Blanco 10x40 cm | 4"x16" FLAT
Gloss | Matte



Ivory 10x40 cm | 4"x16" FLAT
Gloss



Oatmeal 10x40 cm | 4"x16" FLAT
Gloss



SIGNATURE

CERAMIC WALL TILES

PRODUCT MATRIX - BY COLOR

Size Description																
7.5x15 / 3x6																
7.5x15 / 3x6	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
7.5x15 / 3x6 BEVEL																
7.5x15 / 3x6 FRAME																
7.5x15 / 3x6 BN 3" Edge	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
7.5x15 / 3x6 BN 6" Edge	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
10x20 / 4x8																
10x20 / 4x8	X	X	X		X		X	X				X				
10x20 / 4x8 BEVEL	X	X	X		X		X	X				X				
10x20 / 4x8 FRAME	X	X	X		X		X	X				X				
10x20 / 4x8 BN 4" Edge	X	X	X		X		X	X				X				
10x20 / 4x8 BN 8" Edge	X	X	X		X		X	X				X				
10x30 / 4x12																
10x30 / 4x12	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
10x30 / 4x12 BEVEL	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
10x30 / 4x12 FRAME	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
10x30 / 4x12 BN 4" Edge	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
10x30 / 4x12 BN 12" Edge	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
10x40 / 4x16																
10x40 / 4x16	X	X	X		X											
10x40 / 4x16 BEVEL																
10x40 / 4x16 FRAME																
10x40 / 4x16 BN 4" Edge	X	X	X		X											
10x40 / 4x16 BN 16" Edge	X	X	X		X											



WALLS



FIRE PROOF



VOC FREE



SIGNATURE

CERAMIC WALL TILES

PRODUCT INFORMATION

Type / Size	Finish	Rectified	Unit	Work Size mm	Thick mm	Faces	SQM/ Carton	SF/ Carton	Pieces/ Carton
 7.5x15 cm 3x6 FLAT	GLOSS / MATTE	NO	SF or SQM	76.3 x 154.6	7.00	1	0.94	10.12	80
 10x20 cm 4x8 FLAT	GLOSS / MATTE	NO	SF or SQM	100.0 x 200.0	7.00	1	1.10	11.84	55
 10x20 cm 4x8 BEVELED	GLOSS / MATTE	NO	SF or SQM	100.0 x 200.0	7.70	1	1.00	10.76	50
 10x20 cm 4x8 FRAMED	GLOSS / MATTE	NO	SF or SQM	100.0 x 200.0	7.70	1	1.00	10.76	50
 10x30 cm 4x12 FLAT	GLOSS / MATTE	NO	SF or SQM	100.0 x 300.0	7.00	1	1.02	10.98	34
 10x30 cm 4x12 BEVELED	GLOSS / MATTE	NO	SF or SQM	100.0 x 300.0	9.00	1	0.78	8.40	26
 10x30 cm 4x12 FRAMED	GLOSS / MATTE	NO	SF or SQM	100.0 x 300.0	9.00	1	0.78	8.40	26
 10x40 cm 4x16 FLAT	GLOSS / MATTE	NO	SF or SQM	100.0 x 400.0	7.00	1	1.36	14.64	34
 TRIM 6" SIDE 7.5x15 cm 3x6 REL	GLOSS / MATTE	NO	PC	73.7 x 154.6	7.00	1	0.91	9.80	80
 TRIM 3" SIDE 7.5x15 cm 3x6 RES	GLOSS / MATTE	NO	PC	76.3 x 151.8	7.00	1	0.93	10.01	80
 TRIM 8" SIDE 10x20 cm 4x8 REL	GLOSS / MATTE	NO	PC	97.2 x 200.0	7.00	1	1.07	11.52	55
 TRIM 4" SIDE 10x20 cm 4x8 RES	GLOSS / MATTE	NO	PC	100.0 x 197.2	7.00	1	1.08	11.63	55
 TRIM 12" SIDE 10x30 cm 4x12 REL	GLOSS / MATTE	NO	PC	97.2 x 300.0	7.00	1	0.99	10.66	34
 TRIM 4" SIDE 10x30 cm 4x12 RES	GLOSS / MATTE	NO	PC	100.0 x 297.2	7.00	1	1.01	10.87	34
 TRIM 16" SIDE 10x40 cm 4x16 REL	GLOSS / MATTE	NO	PC	97.2 x 400.0	7.00	1	1.32	14.21	34
 TRIM 4" SIDE 10x40 cm 4x16 RES	GLOSS / MATTE	NO	PC	100.0 x 397.2	7.00	1	1.35	14.53	34

USAGE RECOMMENDATION

	Target DCOF wet	Suitable
Dry & Level - Interior Floor	N/A	
Wet & Level - Interior Floor	≥ 0.42	
Shower Floors (Residential or Light Commercial)	≥ 0.42	
Exterior Floor Applications (including pool decking & other wet areas with minimal footwear)	≥ 0.60	
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes - Interior (Residential or Commercial)	N/A	✓
Countertops	N/A	✓
Facades	N/A	
Pool Linings	N/A	

INSTALLATION AND CARE

Grout Joint Recommendation 2 mm - 1/16"
Shade Variation V1

Professional tile installation is recommended. Follow the grout manufacturer instructions for the complete removal of grout and construction residue from initial installation.

We recommend using a cloth with water and a neutral cleaner (soap less) or a general household cleaner for wall tiles cleaning.

PERFORMANCE CHARACTERISTICS

	NORM	Result
Water Absorption	(ANSI A137.1/ASTM C373-16)	≤ 20%
Breaking Strength	(ANSI A137.1/ASTM C648-04)	≥ 125 lbs
DCOF WET	ANSI A137.1 ANSI A326.3	N/A
Scratch Hardness	MOHS	4
Frost Resistance	(ISO 13006/ ISO 10545)	No
Chemical Resistance	(ANSI A137.1/ASTM 650-04)	A
Stain Resistance	(ANSI A137.1/ASTM C1378-04)	A

QUALITY WARRANTY

QUALITY	Standard quality tiles meet or exceed ISO 13006, ANSI A137.1 standards.	FIRE PROOF	Ceramic and porcelain tiles are NOT flammable, except mesh material of mesh mounted mosaics.
VOC FREE	Ceramic and porcelain tiles are low-emitting materials with zero emission of volatile organic compounds (VOC).		



Oatmeal-flat-glossy-7.5x15cm / 3"x6"



Gris-frame-matte-10x20cm / 4"x8"



Oatmeal-bevel-glossy-10x20cm / 4"x8"



Oatmeal-frame-glossy-10x30cm / 4"x12"



Blanco-flat-glossy-10x30cm | 4"x12"



Blanco-frame-glossy-10x30cm | 4"x12"



Blanco-flat-glossy-7.5x15cm | 3"x6"



Blanco-bevel-glossy-10x20cm | 4"x8"




Mint-flat-glossy-7.5x15cm | 3"x6"



Pewter-flat-frame-glossy-10x20cm | 4"x8"



Black-bevel-matte-10x30cm | 4"x12"



Slateblue-frame-flat-glossy-10x30cm | 4"x12"

